

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the present application:

LISTING OF CLAIMS

Claims 1 to 13. (Canceled).

14. (Currently Amended) An emission control system, comprising:
a particle filter; and

an arrangement disposed upstream from the particle filter and configured to at least reduce clogging of the particle filter by prevention of development of at least one of zinc-, alkaline- and earth alkaline-containing sulfate ash upstream from the particle filter by one of transformation and maintenance of at least one of the compounds responsible for sulfate ash formation in the gaseous state, the arrangement including:

a device configured to collect at least a portion of the sulfate ash-forming compounds ~~of sulfur~~ contained in the exhaust gas; and

a device configured to convert the collected sulfate ash-forming compounds ~~of sulfur~~ into gaseous compounds of sulfur that do not form sulfate ash.

15. (Previously Presented) The emission control system according to claim 14, wherein the emission control system is configured for use with an internal combustion engine.

16. (Previously Presented) The emission control system according to claim 14, wherein the arrangement includes an SOx collector.

17. (Previously Presented) The emission control system according to claim 14, wherein the arrangement includes an NOx collector.

18. (Previously Presented) The emission control system according to claim 16, wherein the arrangement includes an NOx collector.

19. (Previously Presented) The emission control system according to claim 14, wherein the arrangement includes an oxidation catalyst.

20. (Previously Presented) The emission control system according to claim 16, wherein the arrangement includes an oxidation catalyst.

21. (Previously Presented) The emission control system according to claim 18, wherein the arrangement includes an oxidation catalyst.

22. (Currently Amended) A method for operating an emission control system including a particle filter and an arrangement disposed upstream from the filter and configured to at least reduce clogging of the particle filter by prevention of development of at least one of zinc-, alkaline- and earth alkaline-containing sulfate ash upstream from the particle filter, comprising the steps of:

maintaining at least a portion of the compounds responsible for the sulfate ash formation in a gaseous state;

collecting at least a portion of the sulfate ash-forming compounds ~~of sulfur~~ contained in the exhaust gas; and

converting the collected sulfate ash-forming compounds ~~of sulfur~~ into gaseous compounds of sulfur that do not form sulfate ash.

23. (Previously Presented) The method as recited in claim 22, further comprising the steps of:

operating the emission control system in a normal operating phase with a lean composition to store sulfur contained in the exhaust gas; and

operating the emission control system in a regeneration phase with a rich exhaust composition to release stored sulfur as at least one gaseous compound.

24. (Previously Presented) The method according to claim 23, wherein the step of operating the emission control system in the regeneration phase includes the substep of raising an exhaust temperature to between 550 °C and 700 °C.

25. (Amended) An emission control system, comprising:
a particle filter, and

an arrangement disposed upstream from the particle filter, the arrangement being configured to at least reduce clogging of the particle filter by prevention of development of at least one of zinc-, alkaline- and earth alkaline-containing sulfate ash upstream from the particle filter by transforming or maintaining at least one of the compounds being responsible for the sulfate ash formation in the gaseous state, and including:

means for collecting at least a portion of the sulfate ash-forming compounds ~~of sulfur~~ contained in the exhaust gas; and

means for converting the collected sulfate ash-forming compounds ~~of sulfur~~ into gaseous compounds of sulfur that do not form sulfate ash.

26. (New) The emission control system according to claim 14, wherein the gaseous compounds of sulfur that do not form sulfate ash include at least one of SO_3 , SO_2 , H_2S and COS .

27. (New) The emission control system according to claim 25, wherein the gaseous compounds of sulfur that do not form sulfate ash include at least one of SO_3 , SO_2 , H_2S and COS .

28. (New) The method according to claim 22, wherein the gaseous compounds of sulfur that do not form sulfate ash include at least one of SO_3 , SO_2 , H_2S and COS .
